CHWALIBOGOWSKI, A.; WALTENBERGER, Z.

CONSTRUCTOR AND AND PARKETS NOT A CHARLEST AND A CHARLEST OF THE PROPERTY OF T

Psychical state in chi.dren in tuberculous meningitis and encuphalitis. Pediat. polska 31 no.11:1189-1204 Nov 56.

1. Z Kliniki Chorob Dzieci Slaskiej A.M. w Zabrzu Kierownik: prof. dr. med. A. Chwalibogowski, Zabrze, ul. 3 Maja 63. (TUBERCULOSIS, MENINGRAL, in infant and child, psychol. aspects (Pol))

WALTENBER JEE. ZOFIA
CHWALIBOGOWSKI, Artur: WALTENBERGE, Zofia

Psychic condition of convalescents after tuberculous meningoencephalitis
based by catamasis. Pediat. polskr 32 no.11:1243-1253 Nov 57.

1. Z Kliniki Chorob Brieci Slaskiej A. M. w Zabrsu Kierownik: prof.
dr A. Chwalibogowski, Adres: Zabrse, ul. 3 Maja 63.

(TUBERCULOSIS, MENINGRAL, psychol.

of convalescents after tuberc. meningoencephalitis (Pol))

CHWALIBOGOWSKI, Artur; ROMANSKA, Krystyna; WALTENBERGER, Zofia

Can salicylic acid amide be used in rheumatic disease? Reumatologia Polska no.3:393-396 '60.

1. Z Kliniki Chorob Dzieci Sl. Ak. Med. w Zabrzu Kierownik: prof. dr mod A. Chwalibogowski (SALICYIAMIDES ther)
(RHEUMATIC FEVER ther)

已被推逐的自己的特殊性。但是否是是我们的自己,但是这个人的是一个人的人的人的人的人的人的人的人的人的人的人的人的人的人的人,不是一个人的人的人的人的人的人,也不

## CHWALIBOGOWSKI, A.; ROMANSKA, K.; WALTENBERGER, Z.

A case of angioma cavernosum of the stomach and of the lower portion of the esophagus in a 14-year-old girl. Pediat.polska 35 no.7: 793-796 Jl \*60.

1. Z Kliniki Chorob Dzieci Slaskiej A.M. w Zabrzu Kierownik: prof. dr med. A.Chwalibogowski.

(ANGIOMA in adolescence)

(STOMACH NEOPLASMS in adolescence)

(ESOPHAGUS neopl)

CHWALIBOGOWSKI, A.; ROMANSKA, K.; WALTENBERGER, Z.

A case of chondroblastoms in a 12-year-old girl. Pediat polska 36 no.3:291-294 '61.

1. Z Kliniki Choreb Dzieci Slaskiej A.M. w Zabrzu Kierownik: prof. dr med. A. Chwalibogowski.

(CHONDROBLASTOMA in inf & child) (SHOULDER neopl)

BUKOWIECKI, Jerzy, mgr inz.; WALTENBERGER-RAZNIEWSKA, Haria, mgr inz.

Thermal sthoroidization of metal powders and high-melting compound. Wiad hut 15 no.12:367-370 D'64.

5/196/62/000/005/002/012 E194/E154

AUTHORS:

Waltenberger-Razniewska, M., Siarzewski, L., and

Waniewski, E.

TITLE:

Factors influencing the elongation of single-domain

particles of iron produced by the amalgam method

PERIODICAL: Referativnyy zhurnal, Elektrotekhnika i energetika, no.5, 1962, 2, abstract 5 Bl2. (Prace Inst. hutn.,

v.13, no.1, 1961, 47-52 (Folish, with summary in

Russian and English)).

Colloidal particles of iron of single domain structure were produced by electrolytic deposition on a mercury cathode. TEXT: Analysis of the results obtained when the electrolytic bath was fed from a rectifier, a d.c. generator and an accumulator showed that the greatest ratio of  $B_{r}$  to the saturation magnetic field intensity  $H_{c}$  was obtained in powders deposited by a steady, non-pulsating current at a density of about 20 mA/cm2. saturation field  $H_{c}$  and  $B_{r}$  were measured by placing a test tube containing the amalgam (3% Fe) in a magnetometer. reached 500 oersteds. By study of the powders in an electron Card 1/2

Black the heart settle and severe maken the severe a since of the

Factors influencing the ...


5/196/62/000/005/002/012 E194/E154

microscope with the magnification of X 66 000 it was found that the particles were elongated (photographs are given). 38 literature references.

ASSOCIATION: Inst. Metali Nieżalaznych FNR (1.nstitute of Non-ferrous Metals, PPR). (see also abstract 5 Bll and Ref.Zh.Elek. 1961, abstract 10 B34).

Abstractor's note: Complete translation.

Card 2/2



KALDY, Jozsef, dr., a mezogazdasagi tudomanyok (erdeszet) kandidatusa, egyetemi tanar (Sopron); MALTER, Ferenc, egyetemi tanarneged (Sopron)

Tests for solving the mechanization of barkpeeling. Erdo 13 no.11:512-523 N '64.

1. Editorial board member, "Az Erdo" (for Kaldy).

WALTER, I.


WALTER, I. Why we breed white-most pigs. p. 19.

Vol. 11. no. 15/16, Aug. 1956 MAGTAR MEZOGAZDASAG AGRICULTURE Budapost, Hungary

So: East European Accession, Vol. 6, No. 5, Kay 1957


ARTIST CONTRACTOR CONTRACTOR	the first first first first framework for the second secon
1.0	
WALTER	l, Istyan
	Precision grinding in the optical industry.Ft.2. Finommechanika 2 no.2:57-62 F 163.
	1. Magyar Optikai Muvek.
·	
,	

# HALTER, Istven Precision grinding in the optical industry. Finommechanika 2 no.1:8-11 Ja '63. 1. Magyar Optikai Muvok.



"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001961430011-5



ACC NR: AP6032833 (A) SOURCE CODE: CZ/0078/65/000/007/3022	L/002L
INVENTOR: Walter, J. (Strakonice); Pudil, F. (Strakonice)	
ORG: none	
TITLE: Internal combustion engine valve. CZ Pat. No. PV 1234-65	
SOURCE: Vyr.alezy, no. 7, 1966, 22	
TOPIC TACS: internal combustion engine, internal combustion engine component four cycle engine, VALVE	t,
Anamaton. A valve distributor for four-cycle internal combustion engines with	th two
ABSTRACT: A valve distributor for four-cycle internal combustion engines with valves in the compustion space is introduced. For the reverse motion of the valves reprings are used which simultaneously control both the two intake and the	he ·
valves in the compustion space is introduced. For the reverse motion of the values in the compustion space is introduced. For the reverse motion of the values hair springs are used which simultaneously control both the two intake and the hair springs are used which simultaneously control both the two intake and the hair springs are used which simultaneously control both the two intake and the hair springs are used which simultaneously control both the two intake and the hair springs are used which simultaneously control both the two intake and the hair springs are used which simultaneously control both the two intake and the hair springs are used which simultaneously control both the two intake and the hair springs are used which simultaneously control both the two intake and the hair springs are used which simultaneously control both the two intakes and the hair springs are used which simultaneously control both the two intakes and the hair springs are used which simultaneously control both the two intakes and the hair springs are used which simultaneously control both the two intakes and the hair springs are used which simultaneously control both the two intakes and the hair springs are used which simultaneously control both the two intakes are interested by a connecting bridge supports and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs are used to be a spring and the springs	he ting the
valves in the compustion space is introduced. For the reverse motion of the two intake and the	he ting the
valves in the comoustion space is introduced. For the reverse motion of the values in the comoustion space is introduced. For the reverse motion of the values are used which simultaneously control both the two intake and the exhaust valves. The latter are interconnected by a connecting bridge support actuating parts of the two hair springs in the direction of the reverse motion of the reverse motion.	he ting the
valves in the comoustion space is introduced. For the reverse motion of the table hair springs are used which simultaneously control both the two intake and the exhaust valves. The latter are interconnected by a connecting bridge support actuating parts of the two hair springs in the direction of the reverse motion the valve.	he ting the
valves in the comoustion space is introduced. For the reverse motion of the table hair springs are used which simultaneously control both the two intake and the exhaust valves. The latter are interconnected by a connecting bridge support actuating parts of the two hair springs in the direction of the reverse motion the valve.	he ting the
valves in the comoustion space is introduced. For the reverse motion of the table hair springs are used which simultaneously control both the two intake and the exhaust valves. The latter are interconnected by a connecting bridge support actuating parts of the two hair springs in the direction of the reverse motion the valve.	he ting the

WALTER, Jan, inz.

Corrected gears of motor vehicles. Automobil Cz 7 no.10: 298-304 0 '63.

1. Ceske zavody motocyklove.

WALTER, Janos, dr.

Root canal measuring. Fogorv. szemle 58 no.10:309-314 C '65.

1. Kozlemeny a Budapesti Orvostudomaryi Egyetem Konzervelo Fogosvati Klinikajarol (Mb. tanszekvezeto: Boros, Sandor, dr. egyetemi docens).

WALTER, Janos, dr.

Technic of application of adhesive plaster. Orv. hetil. 96 no.22: 613-615 29 May 55

1. Az All. Fodor Jozsef Tbc. Gyogyintezet, Budapest (igasgatofoorvos: Risko Tibor dr. kozlemenye.

(PLASTER CASTS,
adhesive plaster)

Walter, Janes

Walter, Janes

Pipetting device. Orv. hetil. 98 no.45:1252-1253 10 Nov 57.

1. A Budapesti Orvestudomanyi Egystem Fogassati Klinikajanak (igasgato: Balogh Karoly dr. ogyet. tanar) kozlemenye.

(CHEMICAL ANALYSIS, appar & instrusente new pipette with rubber balloon (Hnn))

COUNTRY CATEDORY ABS. JOUR.	: HUF MRY : Laboratory Equipment. Apparatus, Their Theory, Construction and Application : RZKhim., No. 1 1960, No. 1048
AUTHOR INST. TITLE	: Malter, J. : An Adapter to the Pipette
ORIG. PUB.	: Hugyar ker. folyoirat, 1958, 64, No 12, 439-490
ABSTRACT	: An adapter with a screw for pressing the rubber bulb, by means of which the filling and emptying of the pipette takes place, is proposed. The adapter facilitates the dosing and increases its accuracy A. Loshmanov
	•
CAPD:	1/1

A052/A126

Walter, Jaroslav

Valve control device of four-cycle internal-combustion engines

PERIODICAL: Referativny zhurnal, otdel'nyy vypusk, 39. Dvigateli vnutrennego sgoraniya, no. 1, 1963, 5 - 6, abstract 1.39.31 P (Czech. pat., cl.

46 bl., 7, no. 99500, May 15, 1961)

A drive system of camehafts acting directly on upper valves of racer engines is patented. Inlet and outlet valves have independent camahafts, which can easily be taken out through the front holes covered with removable covers with shaft bearings. The shafts are driven by the orankshaft from its front end by means of sets of bevel pinions and intermediate shafts. The shaft situated between the crankshaft and the first camehaft consists of two splineconnected parts, the second shaft consists also of two parts connected by means of a tube with inside splines. Such an arrangement simplifies the mounting and demounting of individual assemblies of the engine.

[Abstracter's note: Complete translation]

A. Zhukov

Card 1/1

WALTER, K.

WALTER, K. Reflex klystron made of a regular pentode. p. 153.

Vol. 6, No. 7, July 1956 RADIOTECHNIKA TECHNOLOGY Budapest, Hungary

So: East European Accession, Vol. 6, No. 2, Feb. 1957

KAZIMIERZ WALTER KAZIMIERZ

POLAND / Chemical Technology, Chemical Products and

Their Application, Part 3. - Fermentation

Η

Industry.

Abs Jour: Ref Zhurnal Khimiya, No 18, 1958, 62531.

Author : Kazimierz Walter.

Inst : Not given.

Title : Alcohol Losses at Alcohol Tank Filling.

Orig Pub: Przem. fermentacyiny, 1958, 2, No 1, 7 - 10.

Abstract: The computation method of alcohol losses at the

filling of tanks in results of driving out air saturated with alcohol vapors from them is described taking into consideration the alcohol strength and the pressure and the temperature of the vapors. A yearly loss of 249.5 decaliters of water-free alcohol was computed for a rectification installation of a yearly productivity of 450,000 decaliters of rectified water-

Card 1/2

12

POLAND / Chemical Technology, Chemical Products and Their Application, Part 3. - Fermentation Industry.

Abs Jour: Ref Zhurnal Khimiya, No 18, 1958, 62531.

Abstract: free alcohol. In order to decrease the alcohol losses, it is recommended to connect all the air containing spaces in alcohol collectors with an alcohol trap and to tighten all the connections of the collectors according to attached schemes at the same time.


Card 2/2


WALTER, Miloslav, inz.


Preparing the standard for determining the apparent specific grafity of coal. Pavliva 43 no.2:55-56 F '63.

1. Sdruzeni Severoceskych hnedouhelnych dolu, Most.

## WALTER, R. Tables of Neptune for the Period from 4,000 B. C. to 3,000 A. D. Polska Akademia umiejetnosci. Wydzial matematyczno-przyrodniczy. Bulletin international. Serie A: sciences mathematiques, 1940/46, p. 123-160.








JAZIENICKI, Goguslaw; Walter, Tadeuss Walter.

Mass tobulism. Przegl.epidem.Warsz. 9 no.2:95-99 1955.

1. Z Wojewodzkiej Stacji Sanitarno-Dpidemiologicznej w Poznaniu i Oddzialu Wewnetrznego Szpitala im. Ludwika Josefa Bierkowskiego w Szamotulach.

(BOTULIEM, epidemiology, in Poland)




 WALTER, Tadeusz; PALUCHOWSKA, Maria; STAWICKI, Stanislaw

Two foci of food poisoning caused by Salmonella dublin. Przegl. epidem., Warsz. 11 no.3:241-244 1957.

1. Z Wojewodzkiej Stacji San. -Epid. w Poznaniu Dyrektor: dr med. St. Grzymala.

(SAIMONELIA INFECTIONS, epidemiol, dublin food pois, in Poland (Pol))



WALTER, Tadeusz

Becently discovered viruses in human pathology. Poiski tygod. 1ck. 13
no.20:768-769 19 May 58.

1. (3 Działu Zpidemiologicznego Wojewodskiej Stacji San.- Zpid. w
Poznaniu; kierownik: dr K. Heyman; dyrektor Stacji: dr St. Orsymala)
Adres: Poznan, ul. Libelta 35, Woj. Stacja San.- Zpidemiolog.

(VIRUSIES

new viruses (Pol))

### WALTER, Tadeusz

ECHO viruses and their clinical significance. Polski tygod. lex. 15 no.19:727-729 % My '60.

1. Z Dzialu Epidemiologicznego Wojewodzkiej, kierownik Dzialu: dn med. Kazimierz Neyman; Stacji Santtarno-Epidermiologicznej w Poznaniu; dyrektor Stacji: dr. med. Stanielw Grzymala. (VIRUSES)

# WALTER, Tadeusz

Viral hepatitis in the Poznan Ragion. Przegl.epidem. 15 no.2: 195-198 61.

1. Z Dzialu Kpidemiologii WSSE w Poznaniu Kierownik: dr med. K. Neyman Dyrektor Staeji: dr med. St. Grzymala.

(HEPATITIS INFECTIOUS epidemiol)

WALTER, Tadeusz; WILANOWSKA, Jadwiga; CZUPRYS, Felicja; WALTER, Zofia

Value of the heterohemagglutination reaction in the diagnosis of viral hepatitis. Med. dosw. mikrob. 14 no.2:133-135 '62.

1. Z Dzialu Epidemiologicznego Wojewodzkiej Stacji Sanitarno-Epidemiologicznej w Poznaniu. (HEMAGGLUTINATION) (HEPATITIS INFECTIOUS diag)

NEYMAN, Kazimierz; WALTER, Tadeusz

Attempted evaluation of the effect of gamma globulin on an epidemic of infectious hepatitis. Prezegl. epidem. 16 no.2:105-108 '62.

1. Z Dzialu Epidemiologii Wojewodzkiej Stacji Sanitarno-Epidemiologicznej w Poznaniu Kierownik: dr K.Neyman Dyrektor Stacji: dr S. Grzymala.

(HEPATITIS INFECTIOUS immunol) (GAMMA GLOBULIN ther)

# KRUPPIK, Edmund; WALTER, Tadeusz Occurrence of infectious parotitis in the rural population. Wiad. lek. 18 nc. 21:1635-1638 1 N ' 65. 1. Z Osrodka Zdrovia w Obrzycku (Kierownikt dr. ned. E. Kruppik) 1 z Wojewodzkiej Stacji Sanitarno- Epidemiczne; w Poznaniu (Dyrektor: doc. dr. med. S. Grzymala).

ſ	L 01785-67 T JK  ACC NEW AF6035139 (A) SOURCE CODE: PO/0081/65/019/002/0158/0158
	WALTER, Tadeusz; Regional Sanitation and Epidemiology Station (Wojewodska Stacia SanEpid.), Poznan.
	"Four Years of Vaccination against Tetanus in the Poznan Region."
	Warsaw, Przeglad Epidemiologiczny, Vol 19, No 2, 1965; pp 158.
	Abstract: Triple (diptheria, tetanus, pertussis) vaccination was introduced a systematically in the Poznan region in 1960, starting with 3-month-old children, later expanding to older children. Comparison of 1956 to 1959 data in District & with 1960 to 1963 data in District B shows that morbidity in A was totaled 13,123, B 13,139; Hortality in A was 6.5 per thousand cases, B, 2.6. Of 37
	deaths in 8, only one had been vaccinated. Paper presented at the 3rd Scientific Assembly of Polish Epidemiologists and Infectologists, Krakow, 5-6 Oct 64.  [JPRS]
	TOPIC TAGS: insmunization, pediatrics
	SUB CODE: 06 / SUBM DATE: none
	- 12 201
	Card 1/1 /// 092/ 15.39

1. 01788-67 T JK ACC NR. AP6035152 (A) SOURCE CODE: PO/0()81/65/019/002	/0199/0200
KRAJEWSKA, Maria; WALTER, Tadeusz and SIMBIEROWICZ, Zygmunt; Regional Sanitation and Epidemiology Station (Wojewodzka Stacja Sanitatno-	70
Epidemiologiczna), Poznan and District Sanitation and Epidemiology Station (Powiatowa Stacja Sanitarno-Epidemiologiczna), Jarocin.	
"Epidemic of Infectious Nepatitis in Children in Rural Areas."  Warsaw Integlad Epidemiologiczny, Vol 19, No 2, 1965; p 199-200.	
Abstract: Analysis of two foci of epidemic hepatitis in the Poznan vojewod in 1963. In the first, 49 children aged 3 to 14 were involved, no adults of small children; In the second, 10? children and 95 adults were affected. To role of central grammar school is discussed in detail, stressing unexpected epidemiologic patterns. Gamma globulin administration was rapidly followed by subsidence of the outbreak. Presented at the 3rd Scientific Assembly of Polish Epidemiologists and Infectologists, Krakow, 5-6 Oct 64. [JPRS]	r he
TOPIC TAGS: hepatitis, epidemiology, pediatrics, garma globulin, disease to SUB CODE: 06 / SURM DATE: none	nerapeutics
BOD GODD: GO 7 BOD! BAID! HORE	
Cord 1/1 fth -	

ACC NRI	Tadeusz: Regional San	itation and Ex	ideniology Sta	tion (Nojewods	ka	
Tresa S	initarno-Epidemiologic	czna), Poznan.			16	
'Observa	tions on Botulism in t	the Poznan Reg	gion. Part I.	Epidemiology.	· 3	
	Przeglad Epidemiologie			•	-1	
Abstract botulism	During the 15-year	period from l	1949 to 1963, l vojewodztwo: a	1169 cases of verserly		
: morbidit	y 4.3 per 10,000; it	ranged for the	e individual a	reas (powlaty)	i	•
1101 STOTE	h den her releasi se					
frem 1.3	to 20.0. Cases were	more common :	in rural than ( farences vere (	urban areas, statistically	:	
frem 1.3	to 20.0. Cases were s more than in children ant. Of 641 cases re	more common i en; these difi corded durinz	in rural than ( ferences were ( 1955 to 1963,	urban greas, statistically 293 were spora	dic, the	
from 1.3 in adult signific rest in	to 20.0. Gases were s more than in childrent. Of 641 cases re- butbreaks involving to	more common i en; these difi corded during wo or more per 953, 29 (5.17)	in rural than terences were ( 1955 to 1963, rsons each time ) were fatal.	irban greas, statistically 293 were spora a; of 559 cases Presented at t	he	18 m
from 1.3 in adult eignific rest in of the d 3rd Scie	to 20.0. Gases were s more than in childrent. Of 641 cases reputbreaks involving to isease from 1948 to 1 of Pontific Assembly of Ponti	more common i en; these difi corded during wo or more per 953, 29 (5.17)	in rural than terences were ( 1955 to 1963, rsons each time ) were fatal.	irban greas, statistically 293 were spora a; of 559 cases Presented at t	he	
from 1.3 in adult aignific rest in of the d 3rd Scie	to 20.0. Gases were s more than in childrent. Of 641 cases re- butbreaks involving to	more common i en; these difi corded during wo or more per 953, 29 (5.17)	in rural than terences were ( 1955 to 1963, rsons each time ) were fatal.	irban greas, statistically 293 were spora a; of 559 cases Presented at t	he	A STATE OF THE STA
from 1.3 in adult dignific rest in of the d lad Scie 5-6 Oct	to 20.0. Gases were s more than in childrent. Of 641 cases reputbreaks involving to isease from 1948 to 1 of Pontific Assembly of Ponti	more common in the sent the sent difficult of the sent th	in rural than terences were ( 1955 to 1963, rsons each time ) were fatal.	irban greas, statistically 293 were spora a; of 559 cases Presented at t	he	The state of the s
from 1.3 in adult aignific rest in of the d 3rd Scie 5-6 Oct ) TOPIC TA	to 20.0. Cases were a more than in childrent. Of 641 cases reputbreaks involving trisease from 1948 to 1 mtific Assembly of Po. 64. [JPRS]	more common in the sent the sent during wo or more per 953, 29 (5.1%) lish Epidemio	in rural than terences were ( 1955 to 1963, rsons each time ) were fatal.	irban greas, statistically 293 were spora a; of 559 cases Presented at t	he	
frem 1.3 in adult aignific rest in of the d 3rd Scie 5-6 Oct ) TOPIC TA	to 20.0. Gases were a more than in childrent. Of 641 cases reputbreaks involving trisease from 1948 to 1 ntific Assembly of Po 64. [JPRS]	more common in the sent the sent during wo or more per 953, 29 (5.1%) lish Epidemio	in rural than terences were ( 1955 to 1963, rsons each time ) were fatal.	irban greas, statistically 293 were spora a; of 559 cases Presented at t	he	

POLAND

WALTER, Tadeusz, Wojowodztwo Sanitation and Epidemiology Station (Vojewodzka Stacja Sanitarno-Epidemiologiczna) in Poznan (Director: Docent, Dr. S. GRZYMALA)

"Interferen and Immunity."

Warsaw-Krakow, Przeglad Lekarski, Vol 19, Ser II. No 8, 28 Aug 63, pp 334-335

Abstract: [Author's English summary] The author discusses, on the basis of the literature, the properties of interferent and the part it plays in the mechanism of the organism's defence against virus infection. There are 35 references, which, with the exception of two (2) Czech and one (1) German are all to Western sources.

1./1

48

WALTER, V.

Saving of raw materials through the use of economically justified papers and cardicards. p.25. (Papir A Celulosa, Vol. 12, No. 2, Feb. 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, No. 9, Sept. 1957. Uncl.

THE WALTER, W.

POLAND/Nuclear Physics - Installations and Instruments. Methods C-2 of Measurement and Research

Abs Jour: Ref Zhur - Fizika, No 7, 1958, No 14919

Author : Lozynski Edwin, Walter Wladyslaw

Inst : Not Given


Title : Investigation of the Effectiveness of Geiger-Mueller Coun-

ters for Garma Rays.

Orig Pub: Zesz. nauk. Uniw. jagiell., 1957, No 14, 61-69

Abstract: A measurement was made of the efficiency of Geiger-Mueller counters for gamma rays by the coincidence method. The source of gamma rays, radiated in cascade, was Co<sup>60</sup>. It follows from the measurements that it is necessary to take into account the anisotropy of the cascade gamma radiation in the coincidence method. A theory is proposed for the measurement of the efficiency of Geiger-Mueller counters for gamma rays when using anisotropic photons emitted in cascade. For a pair of cylindrical brass Geiger-Mueller counter with a wall thickness of 1 mm, the resultant efficiency was E<sup>1</sup> (0.77 ± 0.03)% at a gamma-ray energy of 1.25 Mey.

Card : 1/1



# WALTER, Zofia

Isolation of RN acid from pancress by the Kemp and Allen method and attempts to fractionate this acid by means of various concentrations of MgCl<sub>2</sub>. Nauki matem przyreń Ledz nc.12:51-56 162.

1. Katedra Biochemii, Universytet, Lodz.

WALTER, Tadousz; WILANOWSKA, Jadwiga; CZUPRYS, Felicja; WALTER, Zofia

Value of the heterohemagglutination reaction in the diagnosis of viral hepatitis. Med. dosw. mikrob. 14, no.2:133-135 '62.

1. Z Dzialu Epidemiologicznego Wojewodzkiej Stacji Sanitarno-Epidemiologicznej w Poznaniu. (HEMAGGLUTINATION) (HEPATITIS INFECTIOUS diag)

GROSS, Maria; WALTER, Zofia

New method of the dialysis of hydrolysis products of ribonucleic acid. Chem anal 8 no.4:561-566 163.

1. Department of Physiological Chemistry, Academy of Medicine, Lodz, and Department of Biochemistry, University, Lodz.

### POLAND

WALTER. Zofia. Infectious Division (Oddział Zakazny) (Ordynator: Docent, Dr. med. T. SKALMOWSKI) of the Wojewodztwo Child Hospital (Wojewodzki Szpital Dzieciecy) (Director: Dr. med. M. STABROWSKI) in Poznan

"Some Remarks on the Differentiation of Salmonellosis in Children."

Warsaw, Przeglad Epidemiologiczny, Vol 17, No 3, 63, pp

Abstract: [Author's English summary] Author shows the difficulties of differentiating infection with Salmonella bacilli on the basis of clinical and serological data in the case of two children. Bacteriological confirmation is indispensable. There are no references.

1/1

32

ecia	01899-67 T JK  ACC NR: AP6035173: (A) SOURCE CODE: PO/0081/65/019/002/025	4/0255
	BEDRYNSKA-DOBEK, Maria and WALTEROWA, Zofia: Regional Station of Sanitation	
	and Epidemiology and Department of Experimental Sciences of the Institute of Rural Occupations and Hygiene (Wojew. Stacja SanEpid i Zesp. Nauk Bad	
	Inst. Pracy i Hig. Wsi) and Department of Infectious Disesses of the Regional Hospital of Children's Diseases (Oddz. Chorob Zakaznych Woj. Szpitala Chorob Dzieciecych), Poznan.	9
		15
	<u>"Proteus</u> Species and their Role in Diseases in Infants, Farticularly Acute Diarrheal Syndromes."	
	Warsaw, Przeglad Epidemiologiczny, Vol 19, No 2, 1965; pp 254-255.	
	Abstract: Review of data in 94 infants (age 1-19 months) with Proteus species inclated from specimens of feces, throat swab, blood, ear or cerebrospinal fluid: 47 had acute diarrhea, 17 were hospitalized for miscellaneous conditions, 30 were healthy children from the nursery.	
	Of the 47 with acute diarrhea, Proteus species were the only organisms	
	of 137 strains of Proteus revealed 86 were resistant to all drugs tested in vitro; 53 were more or less sensitive to chloramphenicol. Presented at the 3rd Scientific Assembly of Polish Epidemiologists and Infectologists.	
	5-6 Oct 64. [JPNS] TOPIC TAGS: pediatrics, digestive system disease, bacterial disease SUB CODE: 06 / SUBM DATE: none	

"ACC NR: " A16032519"

AUTHOR: Walther, L. (Dresden)

ORG: Institute for Electroacoustics and Architectural Acoustics, Technical University, Dresden (Institut für Elektro- und Bauakustik der technischen Universität Dresden)

TITLE: Mothod of determining coefficients of piezoelectric ceramics significant for transducers, based on measurements on a single sample

SOURCE: Conference on Acoustics of Solid Media. Warsaw, 1964. Proceedings. Warsaw, PWN, 1966, 245-251

TOPIC TAGS: ceramic material, piezoelectric property, elestic modulus


ABSTRACT: A description of the properties of piezoelectric ceramics requires the knowledge of piezoelectric and elasticity coefficients and electric constants. These coefficients are determined most frequently by using the resonance method. The measurement consists in determining two definite frequencies and two amplitude values. If the problem is confined to determining coefficients designated by subscripts 1...3, then all the coefficients can be determined on a single sample; this increases the accesses the accesses the accesses the accesses the accesses the accuracy and shortens the time required for the measurements. Basic difficulties have been encountered thus far in determining the elasticity coefficients


 $s_{12}^{y} = \frac{\partial S_1}{\partial T_2}$  and  $s_{13}^{y} = \frac{\partial S_1}{\partial T_3}$ .


Card 1/2


ties sig an	1d 83	t these quantities can be are known. Poisson ration of a longitudinal war	tos are on	name rod.	The met	had desc	ribed was
developed f	Cor a	pplication to titanate an 5 figures.	l sirconate	• ceramica	s, and it	s acoura	oy 18 37
		SUBM DATE: 14Jun65					
•				÷			•
				,	•	•	
					•		

1 2.44mi Ann	Granad Mai	gy ki sipar 6 1	no 23 12 15 N	162.	
		3) 2 32 7 2 3			
1. Kozmetik	us.				
			•		
		of the second se			
		•			









WALTHER, K.; DIOSSZILAGYI, G.; KOLTAY, M.

Prephylaxis and therapy of interstitial pneumonia. Orv. hetil. 94 no. 35:962-966 30 Ang 1953. (CDML 25:5)

1. Doctors. 2. Children's Clinic (Director -- Prof. Dr. Karoly Waltner), Smeged Hedical University.

WALTHER, K.; TOROK, J.; KOMAROMI, O.

THE PERSON AND PROPERTY OF THE PERSON AND PERSON AND ADDRESS OF THE PERSON AND PERSON AN

Significance of invert sugar for infant mutrition. Orv. hetil. 94 no.46:1275-1276 15 Nov 1953. (CDIL 25:5)

1. Doctors. 2. Children's Clinic (Director -- Prof. Dr. Karoly Waltner), Szeged Medical University.

# KORPASSY, B.; TIBOLDI, T.; TOROK, J.; WALTHER, K.; (HOSSZILAGYI, G.; PALDI, L.; KOLTAY, M. Interstitial pneumonia of the presature. Acts med. hung. 5 no. 3-41371-402 1954. 1. Institut fur Pathologische Anatomie und H.stologie der Medizinischen Universitat, Szeged (for Korpassy, Tiboldi, Torok) 2. Kinderklinik der Medizinschen Universitat, Szeged (for Waltner, Gioszilagyi, Paldy, Torok, Koltay) (Mingegangen am 1. Juli 1953) (PHEMONIA, in inf. & child. \*interstitial in premature, etiol., clin. aspects & pathol.) (INFANT PRIMATURE, diseases \*pneumonia, in terstitial, etiol., clin. aspects & pathol.)

WALTNER, K.; TOROK, J.: KOMAROMI, O.

MALTHER, K.; TOROK, J.: KOMAROMI, O.

Significance of invert sugar in infant nutrition. Acta med.

hung. 5 no.3-4:415-417 1954.

1. Aus der Kinderlinik der Medizinischen Universität, Szeged.

(Bingegangen am 10. August 1953)

(CARBOHYDRATES

\*invert sugar in inf. nutrition)

(INVANT NUTRITION

\*invert sugar as substitute for dextrose & sucrose)

(OLUCOSE

\*invert sugar as substitute in inf, mutrition)

WALTHER, Karoly, dr.

Present state of policycelitis vaccination. Greenskgyogysszat
7 no.7:193-198 July 56.

(POLICYTELITIS, prev. & control
vaccines & vacc., present state (Hun))

(VACCINES AND VACCINATION
polic., present state (Hun))

# WALTHER Karoly dr.

Ediotropic therapy of dysentery. Nepegeszeegugy 37 no.9: 232-234 Sept 56.

1. Kozlemeny a Szegedi Orvostudomanyi Egyetem Gyermekklinikajarol. (DYSENTERY, BACILLARY, in inf. & child chemother., etiotropic (Hun))

WALTHER, Taroly, dr.

Blood exchange; transfusion with exsanguination. Orv. hetil.
98 no.25:665-673 23 June 57.

1. A Swegedi Orvostudomanyi Egyetem Oyermekklinikajanak
kowlemenye.

(BLOOD TRANSFUSION

exchange, in newborn inf., indic., technics & results

(Run))

BENCZM, Gyorgy, Dr.; WALKNER, Karoly, Dr.

Plasma cell leukemia. Orv. hetil. 99 no.8-9:290-292 23 Feb - 2 Mar 58.

1. A Szegedi Orvostudomanyi Egyetem I. sz. Belgycgynezati Klinikajanak (igazgato: Hetenyi Geza dr. akademikus, egyet, tanar) kozlemenye.

(IEUKIMIA, case reports
plasma cell (Hun))

### WALTINER, Karoly

THE PROPERTY OF THE PROPERTY O

Significance of increased blood pressure in patients suffering from stenosis of the ostia venosa ministra. Orv. hetil. 99 no.19:645-647 ll May 58.


1. A Szegedi Orvostudomanyi Mayatem I. sz. Belgyogyaszati Klinikajanak (igazgato: Hetenyi Geza dr. akademikus, egyet. tanar) kozlemenye.

(HEART MISHASES, manifest.

hypertension in stenosis of left atrioventric. opening, clin. significance (Hum))

(HYPERTENSION, etiol. & pathogen.

stenosis of left atrioventric. opening, clin. significance (Hum))



7,8000

z/023/60/000/03/05/007

AUTHORS:

Vaněk Jiří, Waniek Ludvík

TITLE:

Pressure Wave Amplitudes in and Near the Shattered Zone of an Underground Explosion Measured by Piezophotographic Method

PERIODICAL: Studia Geophysica et Geodaetica, 1960, No 3, pp 290 - 291

TEXT: There are several methods of generating elastic waves. An underground explosion is one of sufficiently intensive sources of elastic waves for field experiments. The area nearest to the source is the shattered zone, where irreversible destructive processes occur. Originally strong amplitudes of pressure waves decrease toward the outer boundary of this zone under elastic limit of the medium, and the disturbance materializes in the form of elastic waves. The measurable plastic zone must be assumed in plastic materials like sand, loam, etc. The piezophotographic method was applied during underground explosions of spherical charges of high explosives. Preliminary results show, that the piezophotographic method can be applied for detailed investigation of pressure wave amplitudes near intensive sources in real media. There are 2 figures and 7 references: 4 Czech, 2 English and 1 Soviet.

Card 1/2

XY

# "APPROVED FOR RELEASE: 09/01/2001

# CIA-RDP86-00513R001961430011-5

z/02;1/50/000/03/05/007

Pressure Wave Amplitudes in and Near the Shattered Zone of an Underground Explosion Measured by Piezophotographic Method

ASSOCIATION: Geophysical Institute, Czechoslovak Academy of Sciences, Prague

SUBMITTED: February 26, 1960

X

Card 2/2

# WANIEK, Ludyik

Principles of the piezophotographic method for measurement of pressure wave amplitudes. Geofys sbornik 9:229-310 161.

1. Geophysikalisches Institut, Tschechoslowakische Akademie der Wissenschaften, Praha.

KLIMA, Karel; VANEK, Liudovik [Waniek, Ludovik]

A new method of measuring absorption coefficient of strong pressure waves on the models of solids. Studii astron seismol 6 no.2:211-216 '61.

1. Geofizicheskiy institut ChSAN, Praga

L 32802-66 CZ/2512/64/012/000/0177/0197 SOURCE CODE: ACC NR: AT6016646 AUTHOR: Pros, Zdenek; Sobotova, Carmen; Waniek, Ludvik; Pribyl, Alois; 37 BH ORG: none TITLE: The velocity distribution of elastic waves in the Pribram graywacks SOURCE: Ceskoslovenska akademie ved. Geofysikalni ustav. Geofysikalni sbornik, v. 12. 1964, Prague, 1965, Prace, no. 196-214, 177-197 TOPIC TAGS: Ageology, electroacoustics, elastic oscillation, wave analyzer AESTRACT: The velocity of longitudinal elastic waves in the Pribram graywacke was measured in a continued study of uniformity in the mechanical properties of the rock. Samples from a vertical section of the pit at depths down to 1400 m were tested. The dependence of waves velocity on depth was determined by the electroacoustic method. It was established that this dependence is continuous and has a local maximum at a depth of 800-900 m. The change in the velocity gradient at this depth cannot be explained entirely by the change in density, or by the macroscopically noticeable change in the composition of the rock. Rather, it shows a correlation with the boundary (interface) between two geological structures which constitute the rock, called the Sadecky and the Tremoshensky graywacke; the boundary layer is rich in hematite. The geological characteristics of the rock are given. It is noted that the depth dependence  $\Delta v/\Delta p$  for the given samples was obtained through measurements of

dependence of elastic wave on one-sided pressure. In turn, these measurements have demonstrated that the elastic anisotropy caused by the rock stratification and shown in upper strata is diminishing with increased pressure, i.e., in line with the increasing depth. The authors thank Doctor J. Vanek for valuable advice and suggestions, Mrs. N. Pick, and Messrs. K. Lomecky, and R. Haylik for devoted help in tests treating and evaluating measurement results. The paper was reviewed by K. Pec.
Orig. art. has: 12 figures, 3 tables, and 1 formula.

SUB CODE: 08/ SUBM DATE: 24Mar64/ ORIG REF: 004/ OTH REF: 004.

WANTEWSAA, D.

GASTOL, B.; AHSEIM, O.; DIJZNIHWSKA, K.; WANTEWSKA, D.; Gorceynska, K.

Hutrition of rural population in the Mischow and Mysleniec regions.

Presgl. lek., Krakow 10 no.6:173-178 1354.

1. Z Zakladu Higieny Akademii Medycznej w Krakowie. Kierownik: Doc.
dr B.Gastol.

(MUTRITION,
in Poland, rural population)

(RUMAL COMDITIONS,
nutrition of rural population in Poland)

SEGAL, Pawel; FREYTAG, Tadeusz; WANIEWSKI, Edward

The problem of rare neoplasms arising from the ciliary part of the retina (diktyoma). Klin. oczna 35 no.1:63-69 165.

1. Z Kliniki Chorob Oczu (Kierownik: prof. dr. med. P. Segal); z Kliniki Laryngologicznej (Kierownik: prof. dr. med. J. Borsuk); oraz z Zakladu Anatomii Patologicznej Wojskowej Akademii Medycznej w Lodzi (Kierownik: prof. dr. med. A. Pruszczynski).

### WANIEWSKI, Edward

Histo-bacteriology of specific foci in surgical preparations. Postepy hig. mod. domw. no.2:111-113 160.

1. Wojskowa Akademia Medyczna w Lodzi.

(TUBERCULOSIS PULMONARY pathol)

### WANIEWSKI, Edward

Morphological changes in rat lungs and heart in acute radiation sickness. Polskie arch. med. wewn. 31 no.8:1093-1099 '61.

1. Z Pracowni Anatomopatologicznej I Centr. Szpit. Klin. WAM Kierownik: dr med. E. Waniewski Praca wykonana w ramach Zespolu Radiebiologicznego Kierownik Zespolu: doc. dr med. Z. Ruszczewski.

(LUNG radiation eff) (HEART radiation eff)
(RADIATION INJURY exper)

## LENKO, J.; WANIEWSKI, E.

On the histological structure of primary malignant tumors of the ureters. Rozhl. c'rir. 42 no.5:341-344 My 163.

1. Urologicka klinika WAM, prednosta prof. dr. J. Lenko a cytohistopatologicka laborator Ustredni klinicke nemocnice WAM, prednosta dr. E. Waniewski. (URETERAL NEOPLASMS) (ADENOCARCINOMA)

(CARCINOMA, PAPILLARY) (HISTOLOGY)

5/196/62/000/005/002/012 E194/E154

Waltenberger-Razniewska, M., Siarzewski, L., and AUTHORS:

Waniewski, E.

Factors influencing the elongation of single-domain TITLE:

particles of iron produced by the amalgam method

FERIODICAL: Referativnyy zhurnal, Elektrotekhnika i energetika, no.5, 1962, 2, abstract 5 Bl2. (Prace Inst. hutn.,

v.13, no.1, 1961, 47-52 (Folish, with summary in

Russian and English)).

Colloidal particles of iron of single domain structure were produced by electrolytic deposition on a mercury cathode. Analysis of the results obtained when the electrolytic bath was fed from a rectifier, a d.c. generator and an accumulator showed that the greatest ratio of  $B_{\mathbf{r}}$  to the saturation magnetic field intensity Hc was obtained in powders deposited by a steady, non-pulsating current at a density of about 20 mA/cm2. saturation field  $H_{\text{C}}$  and  $B_{\text{F}}$  were measured by placing a test tube containing the amalgam (3% Fe) in a magnetometer. Hc reached 500 oersteds. By study of the powders in an electron Card 1/2

Factors influencing the ...

S/196/62/000/005/002/012 E194/E154

microscope with the magnification of X 66 000 it was found that the particles were elongated (photographs are given).
38 literature references.

ASSOCIATION: Inst. Metali Nieżalaznych FNR (Institute of Non-ferrous Metals, PPR). (see also abstract 5 Bll and Ref.Zh.Elek. 1961, abstract 10 B34).

Abstractor's note: Complete translation.

Card 2/2

WANIEWSKI, Edward, mgr inz.; SIARZEWSKI, Leszek, mgr inz.; RUSZ, Jan, mgr inz.

Soft magnetic alloy meterials with rectangular hysteresis loop.
Rudy i metale 8 no.2:46-52 F 163.

### WANIOLKA, F.

Tenth anniversary of the July Manifesto. p. 225. (PRZEGLAD GORNICZY, Vol. 10, No. 7/8, July/Aug. 1954, Stalinogrod, Poland)

SC: Monthly List of East European Accessions, (EEAL), LC, Vol. 3, No. 12, Dec. 1954, Uncl.

WANIOLKA, F.

"Decade of the coal mining industry." p. 389. (PRZEGLAD GORNICZY. Vol. 10, No. 12. Dec. 1954. Stellinogrod. Poland)

SO: Monthly List of East European Accessions. (EEAL). IC. Vol. 4, Fg. 4. April 1955. Uncl.

### WANTOLKA, F.

"Dedorations of honor in the coal mining industry on the occasion of the tenth anniversary of People's Poland." p. 393- (PRZEGLAD GORNICZY. Vol. 10, No. 12, Dec. 1954. Stalinggrod, Poland)

SO: Monthly List of East European Accessions. (EEAL). LC. Vol. 4, No. 4. April 1955. Uncl.

### WANIOLKA, F.

Feast of work p. 161

Vol. 11, No. 5, May 1955, PRZEGLAD GORNICZY

SO: MONTHLY LIST OF EAST EUROPEAN ACCESSIONS, (HEAL), LC, Vol. 4, No.9 Sept. 1955, Uncl.

WANIOLKA, F.

Importance of the Polish-Soviet Scientific-Technical Conference for Development of the Coal Industry in the Polish People's Republic.

p. 251 (Przeglad Gorniczy. Vol. 12, no. 7/E, July/ Aug. 1956. Katowice, Poland)

Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 2, February 1958

WANIOLKA, Franciszek, inz.

Development aims of the Polish mining industry and electric power engineering. Wiadom gorn 10 no. 4: 119-121 Ap '59.

1. Minister Gornictwa i Energetyki, Marszawa.

# WANIOLKA, F. Realization of the resolutions of the 4th Plenum of the Central Committee of the Polish United Workers Party in the machine building industry; summary of an address delivered before the 10th Plenum. Przegl techn no.18:1,3 6 My '62. 1. Minister, Warsaw.

### "APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001961430011-5

WANIOLKA, Franciszek, inz.

Report of the Minister for Heavy Industry at the 15th General Meeting of Delegates of the Association of Polish Electrical Engineers in Lodz, June 3-5, 1962. Przegl elektrotechn 38 no.9:361-363 S '62.

P/005/62/000/031/004/005 J003/1250

AUTHOR:

. Wanior, Gotfryd, Magister (Master)

TITLE:


Prospects for development of the production of dolomite in Poland

PERIODICAL:

Prezgląd techniczny, 1962, no. 31, 3-4

TEXT: Because of small resources of magnesite, which do not meet Poland's needs for burned magnesite, the proper utilization of its rich and high quality reserves of dolomite for metallurgical purposes is of paramount importance. The best dolomites for refractory linings in the manufacturing process of pig iron and steel are ankerite dolomites containing 4% of Fe<sub>2</sub>O<sub>3</sub> and about 2.5% of SiO<sub>2</sub>, with a softening temperature of 1280–1300°C. The harder dolomites, i.e. those richer in silicates and poorer in iron oxides, are used in building and also as the support under asphalt roads and railways. The production of raw and burned dolomite should be ahead of the production of pig iron and steel. The needs of Poland's metallurgical industry, which in 1965 will produce 7,000,000 tons of pig iron, will be met by modernizing its old dolomite plants and by building new ones.

Card 1/1




WANICR, Godfryd, mgr.

Basic technical and economic indicators during the reasting of dolomite in the calcinating department. Wiad hutn 18 no. 2:43-46. F '62

WANIOR, Gotfryd Jozef

Problem of exporting and importing raw and reasted delemits.
Wiad hut 19 no. 6: 167-168 Je '63.



		11.			5
WAN	Technical pr	ogress in the p	roduction of rai	w and calcinated	dolomite.
				er B	

# AWSTRIC, Roman; WANIOPEK, Alfred Uretero-vaginal fistula following attempted abortion. Ginek. pol. 34 no.4:533-536 163. 1. Z Oddzialu Urologicznego Szpitala Miejskiego w Slupsku Ordynator: lek. med. R. Awstric Z Oddzialu GinekologicznoPolozniczego Szpitala Miejskiego w Slupsku Ordynator: dr med. A. Modrzejewski. (ABORTION, CRIMINAL) (URINARY FISTULA) (VAGINAL FISTULA) (SURGERY, OPERATIVE)

# WANIOREK, Alfred; AWSTRIC, Roman

Avulsion of the ureter and kidney pelvis following rupture of the pregnant uterus. Ginek. pol. 34 no.61719-723 \*63.

1. Z Oddzialu Ginekologiczno-Polozniczego Szpitala Miejskiego w Slupsku (ordynator: dr., med. A. Modrzojewski) i z Oddzialu Urologicznego Szpitala Miejskiego w Slupsku (ordynator: lek. med. R. Awstric).

### WANIOREK, Alfred

Rupture of the uterus in labor. Ginek. Pol. 35 no.42529-540 Jl-Ag 164

1. Z Gidzialu Folozniczo-Ginekologicznego Szpitala Mieksjiego w Słupsku (Grdynator: dr. med. K. Modrzejewski).